SHERWIN-WILLIAMS.

Technical Data Sheet

Issue Date: June 16

EA1503

LOW VOC Waterborne Clear

DESCRIPTION & USES One component, waterborne clear gloss lacquer for use on furniture and fittings of most

woods. This waterborne lacquer is fast drying, being especially designed for forced drying, and provides for easy sanding. EA1503 has good transparency qualities over dark coloured substrates and delivers a tough and resistant surface finish. EA1503 is low VOC, with a VOC content of 54.06 g/L making it suitable for use in sensitive environments or on projects with emissions restrictions. EA1503 is not designed for use in high wear or wet/moist areas, if required use Two Pack Waterborne (Low VOC)

EL4230 & EM4530 – refer to your technical representative.

Recommended

Application: Wall panelling, furniture, joinery, shopfitting, wardrobe doors, commercial interiors.

DRY FILM PROPERTIES

Colour: Clear

Gloss: Gloss 80%

WET PROPERTIES

Solid content: Approx 35%

Viscosity in drum: 60-80 seconds Ford Cup 4 @ 20°C

Shelf life: 6 Months in sealed containers

Frost Sensitive: Yes. Do not store or use in temps below 5°C. Stir well before use

VOC Content: 54.06 g/L (from analysis)

APPLICATION

Method: Spraying

Mixing Ratio: N/A

Thinning: Dilute with water if necessary

Pot Life: N/A

Drying: Forced drying: 10-15 minutes at 70°C

Sand the first coat to eliminate grain raising

NOTES

Sand the substrate well before coating

Good ventilation is required for all types of drying Stack only when surface temperature is below 25°C

FOR INDUSTRIAL USE ONLY Data shown are mean values and cannot be construed as product specifications. Users are advised to make their own tests to determine the suitability of products for their own purposes.

AUSTRALIAN DISTRIBUTORS FOR SHERWIN WILLIAMS

 WA:
 TWENTY TWO SERVICES P/L
 Tel (08) 9206 0220
 Fax (08) 9206 0974

 NSW:
 CROMA COATINGS
 Tel (02) 9533 9122
 Fax (02) 9533 9299

 VIC:
 CROMA COATINGS VICTORIA
 Tel (03) 9768 2312
 Fax (03) 9768 2389

 QLD:
 CROMA COATINGS QUEENSLAND
 Tel (07) 3386 1000
 Fax (07) 3386 1003

Email info@22croma.com.au **Web** www.22croma.com.au