

ED1225

LOW VOC Waterborne Pigmented Latex Undercoat

DESCRIPTION & USES

One component, acrylic emulsion waterborne pigmented undercoat for use on furniture, fittings, mouldings of MDF, melamine board and/or solid wood. ED1225 gives very good filling properties and less fibre swelling than most waterborne primers. ED1225 shows very good adhesion and can be used with both waterborne and solventborne top coats. ED1225 white undercoat has a low VOC content of 47.6 g/L and any level of tinting will not increase the VOC content. This high solid undercoat has good surface build and very good sanding characteristics. ED1225 is very fast drying and productivity can be further accelerated by forced drying. ED1225 is not designed for use in high wear or wet/moist areas.

Recommended Application:

For use under topcoat EG1351 or for supplying the market with a primed substrate for on-site painting. Furniture, joinery, shopfitting, wardrobe doors, commercial interiors.

DRY FILM PROPERTIES

Colour: White

Gloss: N/A

WET PROPERTIES

Solid content: Approx 55%

Viscosity in drum: 50-60 seconds Ford Cup 4 @ 20°C

Shelf life: 6 Months in sealed containers

Frost Sensitive: Yes. Do not store or use in temps below 5°C. Stir well before use

VOC Content: 47.6 g/L (from analysis)

APPLICATION

Method: Spraying

Mixing Ratio: N/A

Thinning: Dilute with water if necessary

Pot Life: N/A

Drying: Forced drying: 10-15 minutes at 50°C
Air drying: 50 minutes at 20-25°C

NOTES

Stir well before use. Sand and prepare the substrate well before coating.
Avoid heavy coat/application for best results

FOR INDUSTRIAL USE ONLY Data shown are mean values and cannot be construed as product specifications. Users are advised to make their own tests to determine the suitability of products for their own purposes.

AUSTRALIAN DISTRIBUTORS FOR SHERWIN WILLIAMS

WA: TWENTY TWO SERVICES P/L **Tel** (08) 9206 0220 **Fax** (08) 9206 0974
NSW: CROMA COATINGS **Tel** (02) 9533 9122 **Fax** (02) 9533 9299
VIC: CROMA COATINGS VICTORIA **Tel** (03) 9768 2312 **Fax** (03) 9768 2389
QLD: CROMA COATINGS QUEENSLAND **Tel** (07) 3386 1000 **Fax** (07) 3386 1003

Email info@22croma.com.au
Web www.22croma.com.au