

EG1351

LOW VOC Waterborne Pigmented Topcoat

DESCRIPTION & USES One component, waterborne pigmented topcoat for use on furniture and fittings. This waterborne topcoat is available in standard Becker White or can be tinted to match most colours. EG1351 has a low VOC content of 16.3-27.6 g/L and any level of tinting will not increase the VOC content. This paint is fast drying and productivity can be accelerated by forced drying. EG1351 has good smoothness to the touch and delivers an attractive, tough and resistant surface finish. Not designed for use in high wear or wet/moist areas.

Recommended Application: For use over primer ED1225. Furniture, joinery, shopfitting, wardrobe doors, commercial interiors.

DRY FILM PROPERTIES

Colour: White, can be tinted to most colours

Gloss: Matt 10%, Satin 30%

WET PROPERTIES

Solid content: Approx 48%

Viscosity in drum: 40-50 seconds Ford Cup 4 @ 20°C

Shelf life: 6 Months in sealed containers

Frost Sensitive: Yes. Do not store or use in temps below 5°C. Stir well before use

VOC Content: 16.30 - 27.60 g/L (depending on type of colour, i.e.what base used)
N.B tinters do not increase voc content (from analysis)

APPLICATION

Method: Spraying

Mixing Ratio: N/A

Thinning: Dilute with water if necessary

Pot Life: N/A

Drying: Forced drying: 10-15 minutes at 70°C
Air drying: 3 hours at 20°C

NOTES

FOR INDUSTRIAL USE ONLY Data shown are mean values and cannot be construed as product specifications. Users are advised to make their own tests to determine the suitability of products for their own purposes.

AUSTRALIAN DISTRIBUTORS FOR SHERWIN WILLIAMS

WA: TWENTY TWO SERVICES P/L **Tel** (08) 9206 0220 **Fax** (08) 9206 0974
NSW: CROMA COATINGS **Tel** (02) 9533 9122 **Fax** (02) 9533 9299
VIC: CROMA COATINGS VICTORIA **Tel** (03) 9768 2312 **Fax** (03) 9768 2389
QLD: CROMA COATINGS QUEENSLAND **Tel** (07) 3386 1000 **Fax** (07) 3386 1003

Email info@22croma.com.au
Web www.22croma.com.au