

# TC4259

## Polyurethane Clear 'Wet Look' High Gloss Topcoat

**DESCRIPTION & USES** Polyurethane two-component clear 'wet look' topcoat with very good surface hardness and resistance properties particularly against heat and moisture. For a gloss product, TC4259 is fast curing and has excellent surface build. TC4259 uses 'low yellowing' hardeners designed specifically to reduce the yellowing of the coating itself. For protection against colour change of the timber substrate a UV prohibitor\* can be added to TC4259 before application.

**Recommended Application:** For use over sealer TL4371. Furniture, joinery, shop-fitting, wardrobe and kitchen and vanity doors/benchtops, commercial interiors.

### DRY FILM PROPERTIES

**Colour:** Clear

**Gloss:** 92%

### WET PROPERTIES

**Solid content:** 48% (approx)

**Viscosity in drum:** 50 seconds Ford Cup 4 @ 20°C (approx)

**Shelf life:** 12 Months in sealed containers

### APPLICATION

**Method:** Spraying conventional

**Mixing Ratio:** 2 parts TC4259 to 1 part TV4290 hardener

**Thinning:** THIN4444 or THIN4000 at 25%-35% of part A (Depending on the type of equipment used) In hot conditions NT573 can be added

**Drying:** Stacking: 24 hours at 20°C or 5-6 hours at 50°C

**Pot Life:** 5-6 hours

**Application weight:** 140 - 180 g/m<sup>2</sup>

### NOTES

\* UV Prohibitor should be added to the sealer TL4371 also  
For further information please contact us

Buffing/polishing after 2-3 days drying time @ 20°C

**FOR INDUSTRIAL USE ONLY** Data shown are mean values and cannot be construed as product specifications. Users are advised to make their own tests to determine the suitability of products for their own purposes.

#### AUSTRALIAN DISTRIBUTORS FOR SHERWIN WILLIAMS

**WA:** TWENTY TWO SERVICES P/L **Tel** (08) 9206 0220 **Fax** (08) 9206 0974  
**NSW:** CROMA COATINGS **Tel** (02) 9533 9122 **Fax** (02) 9533 9299  
**VIC:** CROMA COATINGS VICTORIA **Tel** (03) 9768 2312 **Fax** (03) 9768 2389  
**QLD:** CROMA COATINGS QUEENSLAND **Tel** (07) 3386 1000 **Fax** (07) 3386 1003

**Email** [info@22croma.com.au](mailto:info@22croma.com.au)  
**Web** [www.22croma.com.au](http://www.22croma.com.au)