

EH4120

LOW VOC Waterborne Two Pack Pigmented Topcoat

DESCRIPTION & USES This two component, waterborne pigmented topcoat is part of a coating system that revolutionises the wood coating industry by ticking all the boxes. EH4120 is LOW VOC meaning it is suitable for use in sensitive environments or projects with restrictions on emissions. Furthermore EH4120 is high build with all the durability and appeal of conventional two packs, as well as excellent covering power, very good surface feel/slipperiness and very good surface hardness. EH4120 is designed to be used over primer EF4502. Production efficiency is assured by very fast curing.

Recommended Application:

For use over undercoat EF4502. Furniture, joinery, shopfitting, wardrobe and kitchen doors, commercial interiors.

DRY FILM PROPERTIES

Colour: White, can be tinted to most colours

Gloss: Matt 10%, Satin 30%

WET PROPERTIES

Solid content: Approx 44%

Viscosity in drum: 30

Shelf life: 6 Months in sealed containers

Frost Sensitive: Yes. Do not store or use in temps below 5°C. Stir well before use

VOC Content: **74.10 g/L** mixed with EV4345 hardener (from analysis)
(No amount of tinting will increase the VOC content)

APPLICATION

Method: Spraying

Mixing Ratio: EH4120 **10** parts to **1** part EV4345 HARDENER

IMPORTANT: Ensure hardener is mixed in by mechanical stir for 5 minutes

Thinning: Dilute with water if necessary

Pot Life: Approx 2 hours

Drying: Sand to re-coat: After 3 hours at 20°C or 1 hour at 50°C
Sand the first coat to eliminate grain raising
Stacking: After 24 hours

Application weight: 100 - 120 g/m²

FOR INDUSTRIAL USE ONLY Data shown are mean values and cannot be construed as product specifications. Users are advised to make their own tests to determine the suitability of products for their own purposes.

AUSTRALIAN DISTRIBUTORS FOR SHERWIN WILLIAMS

WA: TWENTY TWO SERVICES P/L **Tel** (08) 9206 0220 **Fax** (08) 9206 0974
NSW: CROMA COATINGS **Tel** (02) 9533 9122 **Fax** (02) 9533 9299
VIC: CROMA COATINGS VICTORIA **Tel** (03) 9768 2312 **Fax** (03) 9768 2389
QLD: CROMA COATINGS QUEENSLAND **Tel** (07) 3386 1000 **Fax** (07) 3386 1003

Email info@22croma.com.au
Web www.22croma.com.au